



Accessibility Conformance Report

LocalHop

Prepared By:

LocalHop Development Team

Date: April 2026

ADDRESS

31. N Saginaw St
Pontiac MI, 48342

CONTACT

Phone. (248) 952-9800
Email: support@getlocalhop.com



www.getlocalhop.com

LocalHop Accessibility Conformance Report

WCAG Edition

(Based on VPAT® Version 2.5)

Name of Product/Version: LocalHop

Report Date: April 2026

Product Description: LocalHop empowers local organizations with a polished, cohesive event management platform that brings communities together through ease, engagement, and innovation. Whether you're scheduling storytimes, managing meeting rooms, issuing passes, or hosting workshops, LocalHop simplifies the process so you can focus on what really matters—people.

Contact Information: help@getlocalhop.com

Notes: Testing for this product shares an overall product compliance under “Conformance Level” across 2 of 3 sectors of the product. This is further broken down into each sector’s conformance under “Remarks and Explanations”. ‘events.getlocalhop.com’ describes the public facing content that consumers see, ‘Snippets (Embeddable Code)’ describe embeddable code snippets that our clients can display on their own website. Excluding the final sector of the Admin Portal.

Evaluation Methods Used: Automated testing like: ANDI, Devaxe Tools, Google Lighthouse. Manual testing: checking against WCAG criteria, along with screen reader testing with VoiceOver.

Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline	Included In Report
Web Content Accessibility Guidelines 2.0	Level A (Yes) Level AA (Yes) Level AAA (No)
Web Content Accessibility Guidelines 2.1	Level A (Yes) Level AA (Yes) Level AAA (No)
Web Content Accessibility Guidelines 2.2	Level A (Yes) Level AA (Yes) Level AAA (No)

Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports:** The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Partially Supports:** Some functionality of the product does not meet the criterion.
- **Does Not Support:** The majority of product functionality does not meet the criterion.
- **Not Applicable:** The criterion is not relevant to the product.
- **Not Evaluated:** The product has not been evaluated against the criterion. This can only be used in WCAG Level AAA criteria.

WCAG 2.2 Report

Note: When reporting on conformance with the WCAG 2.x Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the [WCAG 2.0 Conformance Requirements](#).

Table 1: Success Criteria, Level A

Notes:

Criteria	Conformance Level	Remarks and Explanations
<p><u>1.1.1 Non-text Content</u> (Level A) All non-text content that is presented to the user has a text alternative that serves the equivalent purpose, except for the situations listed below:</p> <ul style="list-style-type: none"> • Controls, Input • Time-Based Media • Test • Sensory • CAPTCHA • Decoration, Formatting, Invisible 	Supports	<p>The product provides sufficient text alternatives for non-text content, such as images, icons, and visual affordances, or is hidden from assistive technology.</p> <p><u>Events.getlocalhop.com</u>: Supports <u>Snippets (Embeddable Code)</u>: Supports</p>
<p><u>1.2.1 Audio-only and Video-only (Prerecorded)</u> (Level A) For prerecorded audio-only and prerecorded video-only media, the following are true, except when the audio or video is a media alternative for text and is clearly labeled as such:</p> <ul style="list-style-type: none"> • Prerecorded Audio-only: An alternative for time-based media is provided that presents equivalent information for prerecorded audio-only content. • Prerecorded Video-only: Either an alternative for timebased media or an audio track is provided that presents equivalent information for prerecorded video-only content. 	Supports	<p>The product does not currently contain pre-recorded audio-only or pre-recorded video-only content.</p> <p><u>Events.getlocalhop.com</u>: Supports <u>Snippets (Embeddable Code)</u>: Supports</p>
<p><u>1.2.2 Captions (Prerecorded)</u> (Level A) Captions are provided for all prerecorded audio content in synchronized media, except when the media is a media alternative for text and is clearly labeled as such.</p>	Supports	<p>The product does not currently contain pre-recorded audio-only or pre-recorded video-only content.</p> <p><u>Events.getlocalhop.com</u>: Supports <u>Snippets (Embeddable Code)</u>: Supports</p>
<p><u>1.2.3 Audio Description or Media Alternative (Prerecorded)</u> (Level A) An alternative for time-based media or audio description of the prerecorded video content is provided for synchronized media, except when the media is a media alternative for text and is clearly labeled as such.</p>	Supports	<p>The product does not currently contain any prerecorded video content that would require audio description or a time-based media alternative.</p> <p><u>Events.getlocalhop.com</u>: Supports</p>

Criteria	Conformance Level	Remarks and Explanations
<p>1.3.1 Info and Relationships (Level A) Information, structure, and relationships conveyed through presentation can be programmatically determined or are available in text.</p>	Supports	<p>Snippets (Embeddable Code): Supports</p> <p>User interface elements in the product provide programmatic and/or textual information about structure and relationships.</p> <p>Events.getlocalhop.com: Supports Snippets (Embeddable Code): Supports</p>
<p>1.3.2 Meaningful Sequence (Level A) When the sequence in which content is presented affects its meaning, a correct reading sequence can be programmatically determined.</p>	Supports	<p>The reading order of all content generally matches the visual and logical order, and/or can be programmatically determined.</p> <p>Events.getlocalhop.com: Supports Snippets (Embeddable Code): Supports</p>
<p>1.3.3 Sensory Characteristics (Level A) Instructions provided for understanding and operating content do not rely solely on sensory characteristics of components such as shape, size, visual location, orientation, or sound. For requirements related to color, refer to Guideline 1.4.</p>	Supports	<p>The product provides instructions for understanding and operating most content that do not rely solely on sensory characteristics.</p> <p>Events.getlocalhop.com: Supports Snippets (Embeddable Code): Supports</p>
<p>1.4.1 Use of Color (Level A) Color is not used as the only visual means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.</p>	Supports	<p>Throughout the product, color is not used as the only visual means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.</p> <p>Events.getlocalhop.com: Supports Snippets (Embeddable Code): Supports</p>
<p>1.4.2 Audio Control (Level A) If any audio on a Web page plays automatically for more than 3 seconds, either a mechanism is available to pause or stop the audio, or a mechanism is available to control audio volume independently from the overall system volume level.</p>	Supports	<p>The product does not contain audio that plays automatically.</p> <p>Events.getlocalhop.com: Supports Snippets (Embeddable Code): Supports</p>

Criteria	Conformance Level	Remarks and Explanations
<p>2.1.1 Keyboard (Level A) All functionality of the content is operable through a keyboard interface without requiring specific timings for individual keystrokes, except where the underlying function requires input that depends on the path of the user's movement and not just the endpoints.</p>	Supports	<p>Functionality of the product can be operated through a keyboard interface.</p> <p>Events.getlocalhop.com: Supports Snippets (Embeddable Code): Supports</p>
<p>2.1.2 No Keyboard Trap (Level A) If keyboard focus can be moved to a component of the page using a keyboard interface, then focus can be moved away from that component using only a keyboard interface, and, if it requires more than unmodified arrow or tab keys or other standard exit methods, the user is advised of the method for moving focus away.</p>	Supports	<p>In rare cases like specific modals where keyboard focus is trapped, the product provides a standard exit method via "Escape" key for the product.</p> <p>Events.getlocalhop.com: Supports Snippets (Embeddable Code): Supports</p>
<p>2.1.4 Character Key Shortcuts (Level A 2.1 and 2.2) If a keyboard shortcut is implemented in content using only letter (including upper-case and lower-case letters), punctuation, number, or symbol characters, then at least one of the following is true:</p> <ul style="list-style-type: none"> • Turn off: A mechanism is available to turn the shortcut off. • Remap: A mechanism is available to remap the shortcut to use one or more non-printable keyboard characters (e.g. Ctrl, Alt, etc.). • Active only on focus: The keyboard shortcut for a user interface component is only active when that component has focus. 	Supports	<p>The product does not currently include any character key shortcuts implemented in content.</p> <p>Events.getlocalhop.com: Supports Snippets (Embeddable Code): Supports</p>
<p>2.2.1 Timing Adjustable (Level A) For each time limit that is set by the content, at least one of the following is true:</p> <ul style="list-style-type: none"> • Turn off: The user is allowed to turn off the time limit before encountering it. • Adjust: The user is allowed to adjust the time limit before encountering it over a wide range that is at least ten times the length of the default setting. • Extend: The user is warned before time expires and given at least 20 seconds to extend the time limit with a simple action (for example, "press the space bar"), and the user is allowed to extend the time limit at least ten times. 	Supports	<p>The product does not currently contain content that requires time limits or timed interactions.</p> <p>Events.getlocalhop.com: Supports Snippets (Embeddable Code): Supports</p>

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> • Real-time Exception: The time limit is a required part of a real-time event (for example, an auction), and no alternative to the time limit is possible. • Essential Exception: The time limit is essential and extending it would invalidate the activity. • 20 Hour Exception: The time limit is longer than 20 hours. <p>This success criterion should be considered in conjunction with Success Criterion 3.2.1, which puts limits on changes of content or context as a result of user action.</p>		
<p>2.2.2 Pause, Stop, Hide (Level A) For moving, blinking, scrolling, or auto-updating information, all of the following are true:</p> <ul style="list-style-type: none"> • Moving, blinking, scrolling: For any moving, blinking or scrolling information that (1) starts automatically, (2) lasts more than five seconds, and (3) is presented in parallel with other content, there is a mechanism for the user to pause, stop, or hide it unless the movement, blinking, or scrolling is part of an activity where it is essential. • Auto-updating: For any auto-updating information that (1) starts automatically and (2) is presented in parallel with other content, there is a mechanism for the user to pause, stop, or hide it or to control the frequency of the update unless the auto-updating is part of an activity where it is essential. 	Supports	<p>The product does not currently include elements which move, blink, scroll, or auto-update.</p> <p>Events.getlocalhop.com: Supports Snippets (Embeddable Code): Supports</p>
<p>2.3.1 Three Flashes or Below Threshold (Level A) Web pages do not contain anything that flashes more than three times in any one second period, or the flash is below the general flash and red flash thresholds.</p>	Supports	<p>The product does not contain flashing content.</p> <p>Events.getlocalhop.com: Supports Snippets (Embeddable Code): Supports</p>
<p>2.4.1 Bypass Blocks (Level A) A mechanism is available to bypass blocks of content that are repeated on multiple web pages.</p>	Supports	<p>The product does contain mechanisms that allows users to bypass blocks of content, such as skip nav links, skip to today along with landmarks and headings which facilitate the bypass function.</p>

Criteria	Conformance Level	Remarks and Explanations
		Events.getlocalhop.com : Supports Snippets (Embeddable Code) : Supports
<p>2.4.2 Page Titled (Level A) Web pages have titles that describe topic or purpose.</p>	Supports	Page titles do describe the high-level topic or purpose of the pages. Events.getlocalhop.com : Supports Snippets (Embeddable Code) : Supports
<p>2.4.3 Focus Order (Level A) If a web page can be navigated sequentially and the navigation sequences affect meaning or operation, focusable components receive focus in an order that preserves meaning and operability.</p>	Supports	Components within the product receive focus in a meaningful order. Events.getlocalhop.com : Supports Snippets (Embeddable Code) : Supports
<p>2.4.4 Link Purpose (In Context) (Level A) The purpose of each link can be determined from the link text alone or from the link text together with its programmatically determined link context, except where the purpose of the link would be ambiguous to users in general.</p>	Supports	The purpose of all links in the product can be determined from the link text alone or from the programmatic context of the link. Events.getlocalhop.com : Supports Snippets (Embeddable Code) : Supports
<p>2.5.1 Pointer Gestures (Level A 2.1 and 2.2) All functionality that uses multipoint or path-based gestures for operation can be operated with a single pointer without a pathbased gesture, unless a multipoint or path-based gesture is essential.</p>	Supports	The product does not require multi-point or path-based pointer gestures for operation. Events.getlocalhop.com : Supports Snippets (Embeddable Code) : Supports
<p>2.5.2 Pointer Cancellation (Level A 2.1 and 2.2) For functionality that can be operated using a single pointer, at least one of the following is true:</p> <ul style="list-style-type: none"> • No Down-Event: The down-event of the pointer is not used to execute any part of the function. • Abort or Undo: Completion of the function is on the upevent, and a mechanism is available to abort the function before completion or to undo the function after completion. • Up Reversal: The up-event reverses any outcome of the preceding down-event. 	Supports	The product contains only functionality that can be activated on the up event of a single pointer. Events.getlocalhop.com : Supports Snippets (Embeddable Code) : Supports

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> Essential: Completing the function on the down-event is essential. 		
<p>2.5.3 Label in Name (Level A 2.1 and 2.2) For user interface components with labels that include text or images of text, the name contains the text that is presented visually.</p>	Supports	<p>The product consistently includes the visible label for user interface controls within the accessible name.</p> <p>Events.getLocalhop.com: Supports Snippets (Embeddable Code): Supports</p>
<p>2.5.4 Motion Actuation (Level A 2.1 and 2.2) Functionality that can be operated by device motion or user motion can also be operated by user interface components and responding to the motion can be disabled to prevent accidental actuation, except when:</p> <ul style="list-style-type: none"> Supported Interface: The motion is used to operate functionality through an accessibility supported interface. Essential: The motion is essential for the function and doing so would invalidate the activity. 	Supports	<p>The product does not contain any functionality that can be operated by device motion or user motion.</p> <p>Events.getLocalhop.com: Supports Snippets (Embeddable Code): Supports</p>
<p>3.1.1 Language of Page (Level A) The default human language of each web page can be programmatically determined.</p>	Supports	<p>The language of each page is consistently programmatically determinable throughout the product.</p> <p>Events.getLocalhop.com: Supports Snippets (Embeddable Code): Supports</p>
<p>3.2.1 On Focus (Level A) When any component receives focus, it does not initiate a change of context.</p>	Supports	<p>User interface components in the product do not initiate a change of context when they receive focus.</p> <p>Events.getLocalhop.com: Supports Snippets (Embeddable Code): Supports</p>
<p>3.2.2 On Input (Level A) Changing the setting of any user interface component does not automatically cause a change of context unless the user has been advised of the behavior before using the component.</p>	Supports	<p>The product does not cause an unexpected change of context on user input.</p> <p>Events.getLocalhop.com: Supports Snippets (Embeddable Code): Supports</p>
<p>3.2.6 Consistent Help (Level A 2.2 only) If a web page contains any of the following help mechanisms, and those mechanisms are repeated on multiple web pages within a set of web pages,</p>	Supports	<p>Help mechanisms that are repeated throughout the product occur consistently and in the same order relative to other content.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>they occur in the same order relative to other page content, unless a change is initiated by the user:</p> <ul style="list-style-type: none"> • Human contact details • Human contact mechanism • Self-help option • A fully automated contact mechanism 		<p>Events.getlocalhop.com: Supports Snippets (Embeddable Code): Supports</p>
<p>3.3.1 Error Identification (Level A) If an input error is automatically detected, the item that is in error is identified and the error is described to the user in text.</p>	Supports	<p>Where input errors are automatically detected in the product, all items in error are identified and error messages are conveyed to assistive technologies or in text.</p> <p>Events.getlocalhop.com: Supports Snippets (Embeddable Code): Supports</p>
<p>3.3.2 Labels or Instructions (Level A) Labels or instructions are provided when content requires user input.</p>	Supports	<p>The product provides sufficient instructions for user input in most cases. Required form fields visually say ‘required.’</p> <p>Events.getlocalhop.com: Supports Snippets (Embeddable Code): Supports</p>
<p>3.3.7 Redundant Entry (Level A 2.2 only) Information previously entered by or provided to the user that is required to be entered again in the same process is either autopopulated, or available for the user to select. Except when one of the following is true:</p> <ul style="list-style-type: none"> • re-entering the information is essential • the information is required to ensure the security of the content • previously entered information is no longer valid 	Supports	<p>User information is not required to be entered more than once in multi-step processes or is otherwise auto filled.</p> <p>Events.getlocalhop.com: Supports Snippets (Embeddable Code): Supports</p>
<p>4.1.1 Parsing (Level A) WCAG 2.0 and 2.1 – Always answer ‘Supports’ WCAG 2.2 (obsolete and removed) - Does not apply</p>	Supports	<p>For WCAG 2.0 and 2.1, the September 2023 errata update indicates this criterion is always supported. See the WCAG 2.0 Editorial Errata and the WCAG 2.1 Editorial Errata.</p>
<p>4.1.2 Name, Role, Value (Level A) For all user interface components (including but not limited to: form elements, links and components generated by scripts), the name and role can</p>	Supports	<p>User interface components throughout the product convey their name, role, or value to assistive technology.</p>

Criteria	Conformance Level	Remarks and Explanations
be programmatically determined; states, properties, and values that can be set by the user can be programmatically set; and notification of changes to these items is available to user agents, including assistive technologies.		Events.getlocalhop.com : Supports Snippets (Embeddable Code) : Supports

Table 2: Success Criteria, Level AA

Notes:

Criteria	Conformance Level	Remarks and Explanations
1.2.4 Captions (Live) (Level AA) Captions are provided for all live audio content in synchronized media.	Supports	The product does not currently contain live audio content. Events.getlocalhop.com : Supports Snippets (Embeddable Code) : Supports
1.2.5 Audio Description (Prerecorded) (Level AA) Audio description is provided for all prerecorded video content in synchronized media.	Supports	The product does not currently contain any prerecorded video content that would require audio description Events.getlocalhop.com : Supports Snippets (Embeddable Code) : Supports
1.3.4 Orientation (Level AA 2.1 and 2.2) Content does not restrict its view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.	Supports	The product does not restrict its view and operation to a single display orientation and responds appropriately to screen orientation changes. Events.getlocalhop.com : Supports Snippets (Embeddable Code) : Supports
1.3.5 Identify Input Purpose (Level AA 2.1 and 2.2) The purpose of each input field collecting information about the user can be programmatically determined when: <ul style="list-style-type: none"> The input field serves a purpose identified in Input Purposes for User Interface Components; and 	Supports	The product appropriately labels the autocomplete attribute for first name, last name, email, phone, password, and credit card related input fields. Events.getlocalhop.com : Supports Snippets (Embeddable Code) : Supports

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> The content is implemented using technologies with support for identifying the expected meaning for form input data. 		
<p>1.4.3 Contrast (Minimum) (Level AA) The visual presentation of text and images of text has a contrast ratio of at least 4.5:1, except for the following:</p> <ul style="list-style-type: none"> Large Text: Large-scale text and images of large-scale text have a contrast ratio of at least 3:1. Incidental: Text or images of text that are part of an inactive user interface component, that are pure decoration, that are not visible to anyone, or that are part of a picture that contains significant other visual content, have no contrast requirement. Logotypes: Text that is part of a logo or brand name has no minimum contrast requirement. 	Supports	<p>The product meets or exceeds minimum contrast ratios on all components containing text or images of text.</p> <p>Events.getlocalhop.com: Supports Snippets (Embeddable Code): Supports</p>
<p>1.4.4 Resize text (Level AA) Except for captions and images of text, text can be resized without assistive technology up to 200 percent without loss of content or functionality.</p>	Supports	<p>All text can be resized without assistive technology up to 200 percent without loss of content or functionality.</p> <p>Events.getlocalhop.com: Supports Snippets (Embeddable Code): Supports</p>
<p>1.4.5 Images of Text (Level AA) If the technologies being used can achieve the visual presentation, text is used to convey information rather than images of text except for the following:</p> <ul style="list-style-type: none"> Customizable: The image of text can be visually customized to the user's requirements. Essential: A particular presentation of text is essential to the information being conveyed (includes logotypes). 	Supports	<p>Text is used to convey information rather than images of text, except where a particular presentation of text is essential to the information being conveyed, such as in logotypes.</p> <p>Events.getlocalhop.com: Supports Snippets (Embeddable Code): Supports</p>
<p>1.4.10 Reflow (Level AA 2.1 and 2.2) Content can be presented without loss of information or functionality, and without requiring scrolling in two dimensions for (except for parts of the content which require twodimensional layout for usage or meaning):</p> <ul style="list-style-type: none"> Vertical scrolling content at a width equivalent to 320 CSS pixels Horizontal scrolling content at a height equivalent to 256 CSS pixels 	Supports	<p>Content in the product responds and reflows as necessary when zoomed and does not require scrolling in two dimensions.</p> <p>Events.getlocalhop.com: Supports Snippets (Embeddable Code): Supports</p>

Criteria	Conformance Level	Remarks and Explanations
<p>1.4.11 Non-text Contrast (Level AA 2.1 and 2.2)</p> <p>The visual presentation of the following has a contrast ratio of at least 3:1 against adjacent color(s).</p> <ul style="list-style-type: none"> • User Interface Components: Visual information required to identify user interface components and states (except for inactive components or where the appearance of the component is determined by the user agent and not modified by the author). • Graphical Objects: Parts of graphics required to understand the content (except when a particular presentation of graphics is essential to the information being conveyed). 	Supports	<p>All user interface components and meaningful graphics in the product have a contrast ratio of at least 3:1 against adjacent colors.</p> <p>Events.getlocalhop.com: Supports Snippets (Embeddable Code): Supports</p>
<p>1.4.12 Text Spacing (Level AA 2.1 and 2.2)</p> <p>In content implemented using markup languages that support the following text style properties, no loss of content or functionality occurs by setting all of the following and by changing no other style property:</p> <ul style="list-style-type: none"> • Line height (line spacing) to at least 1.5 times the font size. • Spacing following paragraphs to at least 2 times the font size. • Letter spacing (tracking) to at least 0.12 times the font size. • Word spacing to at least 0.16 times the font size. 	Supports	<p>There is no loss of content or functionality in the product when users override author specified text styles.</p> <p>Events.getlocalhop.com: Supports Snippets (Embeddable Code): Supports</p>
<p>1.4.13 Content on Hover or Focus (Level AA 2.1 and 2.2)</p> <p>Where receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden, the following are true:</p> <ul style="list-style-type: none"> • Dismissible: A mechanism is available to dismiss the additional content without moving pointer hover or keyboard focus, unless the additional content communicates an input error or does not obscure or replace other content. • Hoverable: If pointer hover can trigger the additional content, then the pointer can be moved over the additional content without the additional content disappearing. • Persistent: The additional content remains visible until the hover or focus trigger is removed, the user dismisses it, or its information is no longer valid. 	Supports	<p>Content made visible via hover or focus like tooltips are dismissible, hoverable, and persistent throughout the product.</p> <p>Events.getlocalhop.com: Supports Snippets (Embeddable Code): Supports</p>

Criteria	Conformance Level	Remarks and Explanations
<p>2.4.5 Multiple Ways (Level AA) More than one way is available to locate a web page within a set of web pages except where the web page is the result of, or a step in, a process.</p>	Supports	<p>Multiple ways of locating content are provided, such as sitemap and navigation, except when the location is the result of, or a step in, a process.</p> <p>Events.getlocalhop.com: Supports Snippets (Embeddable Code): Supports</p>
<p>2.4.6 Headings and Labels (Level AA) Headings and labels describe topic or purpose.</p>	Supports	<p>Content headings and labels are descriptive and unique.</p> <p>Events.getlocalhop.com: Supports Snippets (Embeddable Code): Supports</p>
<p>2.4.7 Focus Visible (Level AA) Any keyboard operable user interface has a mode of operation where the keyboard focus indicator is visible.</p>	Supports	<p>The keyboard focus indicator is now visible on all interactive components throughout the product.</p> <p>Events.getlocalhop.com: Supports Snippets (Embeddable Code): Supports</p>
<p>2.4.11 Focus Not Obscured (Minimum) (Level AA 2.2 only) When a user interface component receives keyboard focus, the component is not entirely hidden due to author-created content.</p> <ul style="list-style-type: none"> Where content in a configurable interface can be repositioned by the user, then only the initial positions of user-movable content are considered for testing and conformance of this Success Criterion. Content opened by the user may obscure the component receiving focus. If the user can reveal the focused component without advancing the keyboard focus, the component with focus is not considered hidden due to author-created content. 	Supports	<p>The product does not contain components that obscure the interface. Components receiving keyboard focus throughout the product remain at least partially visible, and are never entirely hidden or obscured.</p> <p>Events.getlocalhop.com: Supports Snippets (Embeddable Code): Supports</p>
<p>2.5.7 Dragging Movements (Level AA 2.2 only) All functionality that uses a dragging movement for operation can be achieved by a single pointer without dragging, unless dragging is essential or the functionality is determined by the user agent and not modified by the author.</p>	Supports	<p>The product does not provide any dragging movements for placement or ordering.</p> <p>Events.getlocalhop.com: Supports Snippets (Embeddable Code): Supports</p>

Criteria	Conformance Level	Remarks and Explanations
<p>2.5.8 Target Size (Minimum) (Level AA 2.2 only)</p> <p>The size of the target for pointer inputs is at least 24 by 24 CSS pixels, except where:</p> <ul style="list-style-type: none"> • Spacing: Undersized targets (those less than 24 by 24 CSS pixels) are positioned so that if a 24 CSS pixel diameter circle is centered on the bounding box of each, the circles do not intersect another target or the circle for another undersized target. • Equivalent: The function can be achieved through a different control on the same page that meets this criterion. • Inline: The target is in a sentence, or its size is otherwise constrained by the line-height of non-target text. • User agent control: The size of the target is determined by the user agent and is not modified by the author. • Essential: A particular presentation of the target is essential or is legally required for the information being conveyed. 	Supports	<p>The size of target for pointer inputs meets requirements (24x24 CSS pixels) throughout the product.</p> <p>Events.getlocalhop.com: Supports Snippets (Embeddable Code): Supports</p>
<p>3.1.2 Language of Parts (Level AA)</p> <p>The human language of each passage or phrase in the content can be programmatically determined except for proper names, technical terms, words of indeterminate language, and words or phrases that have become part of the vernacular of the immediately surrounding text.</p>	Supports	<p>The language of each passage or phrase in content within the product can be programmatically determined. In grey areas where user-generated content like “Bonjour à tous.” inside an event description, we can’t realistically detect and mark every language shift, therefore exempt since our application doesn’t claim to author that text.</p> <p>Events.getlocalhop.com: Supports Snippets (Embeddable Code): Supports</p>
<p>3.2.3 Consistent Navigation (Level AA)</p> <p>Navigational mechanisms that are repeated on multiple web pages within a set of web pages occur in the same relative order each time they are repeated, unless a change is initiated by the user.</p>	Supports	<p>When navigational mechanisms are repeated in the product, they occur in a consistent relative order and appearance</p> <p>Events.getlocalhop.com: Supports Snippets (Embeddable Code): Supports</p>
<p>3.2.4 Consistent Identification (Level AA)</p>	Supports	<p>Components with the same functionality throughout the product are identified consistently.</p>

Criteria	Conformance Level	Remarks and Explanations
Components that have the same functionality within a set of web pages are identified consistently.		<u>Events.getlocalhop.com</u> : Supports <u>Snippets (Embeddable Code)</u> : Supports
<p>3.3.3 Error Suggestion (Level AA) If an input error is automatically detected and suggestions for correction are known, then the suggestions are provided to the user, unless it would jeopardize the security or purpose of the content.</p>	Supports	The product provides suggestions to the user when input errors are automatically detected (except where this would jeopardize security) <u>Events.getlocalhop.com</u> : Supports <u>Snippets (Embeddable Code)</u> : Supports
<p>3.3.4 Error Prevention (Legal, Financial, Data) (Level AA) For web pages that cause legal commitments or financial transactions for the user to occur, that modify or delete usercontrollable data in data storage systems, or that submit user test responses, at least one of the following is true:</p> <ul style="list-style-type: none"> • Reversible: Submissions are reversible • Checked: Data entered by the user is checked for input errors and the user is provided an opportunity to correct them • Confirmed: A mechanism is available for reviewing, confirming, and correcting information before finalizing the submission 	Supports	Throughout out the product, changes to user-controllable data have mechanisms that consistently check and sometimes reverse/confirm before finalizing submissions. Actions like saving a credit card to your account can be reversed by removing the card from your account yourself, and patrons buying tickets or reserving a room can be reversed via refund/cancelling. <u>Events.getlocalhop.com</u> : Supports <u>Snippets (Embeddable Code)</u> : Supports
<p>3.3.8 Accessible Authentication (Minimum) (Level AA 2.2 only) A cognitive function test (such as remembering a password or solving a puzzle) is not required for any step in an authentication process unless that step provides at least one of the following:</p> <ul style="list-style-type: none"> • Alternative: Another authentication method that does not rely on a cognitive function test. • Mechanism: A mechanism is available to assist the user in completing the cognitive function test. • Object Recognition: The cognitive function test is to recognize objects. • Personal Content: The cognitive function test is to identify 	Supports	The product for admins/patrons to login currently don't require an authentication process containing a cognitive function test. Currently we use the standard username + password fields for login that allow copy/paste + password managers. <u>Events.getlocalhop.com</u> : Supports <u>Snippets (Embeddable Code)</u> : Supports

Criteria	Conformance Level	Remarks and Explanations
4.1.3 Status Messages (Level AA 2.1 and 2.2) In content implemented using markup languages, status messages can be programmatically determined through role or properties such that they can be presented to the user by assistive technologies without receiving focus.	Supports	The product provides status when the UI content changes (e.g., toast notifications) without the need of receiving focus via polite messaging. Events.getlocalhop.com : Supports Snippets (Embeddable Code) : Supports

Table 3: Success Criteria, Level AAA

Notes:

Criteria	Conformance Level	Remarks and Explanations
1.2.6 Sign Language (Prerecorded) (Level AAA)	Not Evaluated	
1.2.7 Extended Audio Description (Prerecorded) (Level AAA)	Not Evaluated	
1.2.8 Media Alternative (Prerecorded) (Level AAA)	Not Evaluated	
1.2.9 Audio-only (Live) (Level AAA)	Not Evaluated	
1.3.6 Identify Purpose (Level AAA 2.1 and 2.2)	Not Evaluated	
1.4.6 Contrast (Enhanced) (Level AAA)	Not Evaluated	
1.4.7 Low or No Background Audio (Level AAA)	Not Evaluated	
1.4.8 Visual Presentation (Level AAA)	Not Evaluated	
1.4.9 Images of Text (No Exception) (Level AAA)	Not Evaluated	
2.1.3 Keyboard (No Exception) (Level AAA)	Not Evaluated	
2.2.3 No Timing (Level AAA)	Not Evaluated	
2.2.4 Interruptions (Level AAA)	Not Evaluated	
2.2.5 Re-authenticating (Level AAA)	Not Evaluated	
2.2.6 Timeouts (Level AAA 2.1 and 2.2)	Not Evaluated	
2.3.2 Three Flashes (Level AAA)	Not Evaluated	
2.3.3 Animation from Interactions (Level AAA 2.1 and 2.2)	Not Evaluated	
2.4.8 Location (Level AAA)	Not Evaluated	

Criteria	Conformance Level	Remarks and Explanations
2.4.9 Link Purpose (Link Only) (Level AAA)	Not Evaluated	
2.4.10 Section Headings (Level AAA)	Not Evaluated	
2.4.12 Focus Not Obscured (Enhanced) (Level AAA 2.2 only)	Not Evaluated	
2.4.13 Focus Appearance (Level AAA 2.2 only)	Not Evaluated	
2.5.5 Target Size (Level AAA 2.1 and 2.2)	Not Evaluated	
2.5.6 Concurrent Input Mechanisms (Level AAA 2.1 and 2.2)	Not Evaluated	
3.1.3 Unusual Words (Level AAA)	Not Evaluated	
3.1.4 Abbreviations (Level AAA)	Not Evaluated	
3.1.5 Reading Level (Level AAA)	Not Evaluated	
3.1.6 Pronunciation (Level AAA)	Not Evaluated	
3.2.5 Change on Request (Level AAA)	Not Evaluated	
3.3.5 Help (Level AAA)	Not Evaluated	
3.3.6 Error Prevention (All) (Level AAA)	Not Evaluated	
3.3.9 Accessible Authentication (Enhanced) (Level AAA 2.2 only)	Not Evaluated	

Legal Disclaimer (Company)

As of the testing date referenced in this document, the information provided describes the LocalHop product's ability to support certain WCAG standards for informational purposes only and may change without notice. This document is provided "as-is" and does not constitute a legal commitment. LocalHop does not guarantee that the information will remain accurate after the testing date. LocalHop monitors product accessibility and may provide updates periodically. Any modifications or customizations to the product may render this document partially or entirely inapplicable. LocalHop disclaims any liability related to this document, and no contractual obligations are created, either directly or indirectly, by its contents. Furthermore, LocalHop makes no representation regarding the interoperability of assistive technologies or other products with the LocalHop product described herein.